

SELECTION/DIMENSIONS

Extreme Duty Setscrew Ball Bearings
SCED NORMAL DUTY BEARING INSERTS







Series	Shaft Size	Standard Insert Part No.	Description	Weight Lbs *kg*	A	C	D	J	L	N	W	Y
204	1/2	@	INS-SCED-008L	.38	1.23	0.58	1.8504	0.15	1.12	1/4-28	0.50	0.73
	5/8	@	INS-SCED-010L	.35								
	3/4	**076108**	INS-SCED-012	.32								
	20mm	@	*INS-SCED-20M*	*.16*	31.2	14.7	47.000	3.8	28.4	M6x1	12.7	18.5
205	7/8	@	INS-SCED-014	.43	1.34	0.59	2.0472	0.16	1.32	1/4-28	0.56	0.78
	15/16	@	INS-SCED-015	.40								
	1	**076109**	INS-SCED-100	.37								
	25mm	***076286***	*INS-SCED-25M*	*.18*	34.0	15.0	52.000	4.1	33.5	M6x1	14.2	19.8
206	1-1/16	@	INS-SCED-101	.67	*1.52*	*0.69*	*2.4409*	*0.16*	*1.57*	*5/16-24*	*0.58*	*0.94*
	1-1/8	**076110**	INS-SCED-102	.63								
	1-3/16	**076111**	INS-SCED-103	.60								
	1-1/4	**076112**	INS-SCED-104S	.58								
	30mm	***076287***	*INS-SCED-30M*	*.27*	38.6	17.5	62.000	4.1	39.9	M8x1.25	14.7	23.9
207	1-1/4	**076113**	INS-SCED-104	1.02	1.71	0.75	2.8346	0.20	1.84	5/16-24	0.67	1.04
	1-5/16	@	INS-SCED-105	.97								
	1-3/8	**076114**	INS-SCED-106	.92								
	1-7/16	**076115**	INS-SCED-107	.86								
	35mm	***076288***	*INS-SCED-35M*	*.44*	43.4	19.1	72.000	5.1	46.7	M8x1.25	17.0	26.4


@ Assembled to order

DODGE®



Extreme Duty Setscrew Ball Bearings
SCED NORMAL DUTY BEARING INSERTS






Series Size	Shaft	Standard Insert Part No.	Description	Weight Lbs kg	A	C	D	J	L	N	W	Y
	1-1/2	**076116**	INS-SCED-108	1.27	1.94	0.87	3.1496	0.22	2.05	5/16-24	0.75	1.19
208	1-5/8	@	INS-SCED-110	1.13								
	40mm	***076289***	*INS-SCED-40M*	*0.51*	*49.3*	*22.1*	*80.000*	*5.6*	*52.1*	*M8x1.25*	*19.1*	*30.2*
	1-5/8	@	INS-SCED-110L	1.49	1.94	0.87	3.3465	0.25	2.22	5/16-24	0.75	1.19
	1-11/16	**076117**	INS-SCED-111	1.43								
209	1-3/4	**076118**	INS-SCED-112	1.36								
	1-13/16	@	INS-SCED-113	1.30								
	45mm	***076290***	*INS-SCED-45M*	*0.62*	49.3	22.1	85.000	6.4	56.4	M8x1.25	19.1	30.2
	1-15/16	**076119**	INS-SCED-115	1.48	1.94	0.87	3.5433	0.25	2.43	3/8-24	0.75	1.19
210	2	**076120**	INS-SCED-200	1.39								
	50mm	***076291***	*INS-SCED-50M*	*0.67*	49.3	22.1	90.000	6.4	61.7	M10x1.5	19.1	30.2
	2	**076211**	INS-SCMED-200	2.26	*2.22*	*0.94*	*3.9370*	*0.25*	*2.71*	*3/8-24*	*0.87*	*1.35*
211	2-3/16	**076121**	INS-SCED-203	1.97								
	2-1/4	@	INS-SCED-204	1.87								
	55mm	***076292***	*INS-SCED-55M*	*0.89*	56.4	23.9	100.000	6.4	68.8	M10x1.5	22.1	34.3
	2-1/4	@	INS-SCMED-204	2.85	2.31	1.02	4.3307	0.25	2.97	3/8-24	0.90	1.41
212	2-7/16	**076122**	INS-SCED-207	2.49								
	60mm	***076293***	*INS-SCED-60M*	*1.13*	*58.7*	*25.9*	*110.000*	*6.4*	*75.4*	*M10x1.5*	*22.9*	*35.8*
	2-1/2	**076214**	INS-SCMED-208	4.25	2.54	1.10	4.9213	0.26	3.31	3/8-24	1.06	1.48
214	2-11/16	**076123**	INS-SCED-211	3.60								
	70mm	***076294***	*INS-SCED-70M*	*1.63*	64.5	27.9	125.000	6.6	84.1	M10x1.5	26.9	37.6
215	2-15/16	**076124**	INS-SCED-215	3.86	2.33	1.14	5.1181	0.28	3.62	3/8-24	0.86	1.47
	75mm	***076295***	*INS-SCED-75M*	***1.75***	*59.2*	*29.0*	*130.000*	*7.1*	*91.9*	*M10x1.5*	*21.8*	*37.3*
218	*90mm*	*@*	*INS-SCED-90M*	*3.3*	65.0	34.0	160.000	7.6	110.5	M10x1.5	24.4	40.6

@ Assembled to order. * 20 piece minimum


FEATURES/BENEFITS PAGE B3-2	EASY SELECTION PAGE B3-3	SELECTION PAGE B3-5	ACCESSORIES PAGE B3-41


SELECTION/DIMENSIONS

DODGE®



Extreme Duty Setscrew Ball Bearings
SCMED MEDIUM DUTY BEARING INSERTS





Series	Shaft Size	Standard Insert Part No.	Description	Weight Lbs. kg	A	C	D	J	L	N	W	Y
206	1	**076204**	INS-SCMED-100	0.71	1.52	0.69	2.4409	0.16	1.57	5/16-24	0.58	0.94
	25mm	***076344***	*INS-SCMED-25M*	*0.32*	*38.6*	*17.5*	*62.000*	*4.1*	*39.9*	*M8x1.25*	*14.7*	*23.9*
207	1-3/16	**076205**	INS-SCMED-103	1.07	1.71	0.75	2.8346	0.20	1.84	5/16-24	0.67	1.04
	1-1/4	**076113**	INS-SCED-104	1.02								
	30mm	***076287***	*INS-SCED-30M*	*0.53*	*43.4*	*19.1*	*72.000*	*5.1*	*46.7*	*M8x1.25*	*17.0*	*26.4*
208	1-7/16	**076206**	INS-SCMED-107	1.32	1.94	0.87	3.1496	0.22	2.05	5/16-24	0.75	1.19
	1-1/2#	**076116**	INS-SCED-108	1.27								
	35mm	***076346***	*INS-SCMED-35M*	*0.60*	*49.3*	*22.1*	*80.000*	*5.6*	*52.1*	*M8x1.25*	*19.1*	*30.2*
209	1-1/2	**076207**	INS-SCMED-108	1.62	1.94	0.87	3.3465	0.25	2.22	5/16-24	0.75	1.19
	1-5/8	**@**	INS-SCED-110L	1.49								
	40mm	***076347***	*INS-SCMED-40M*	*0.71*	*49.3*	*22.1*	*85.000*	*6.4*	*56.4*	*M8x1.25*	*19.1*	*30.2*
210	1-11/16	**076208**	INS-SCMED-111	1.82	1.94	0.87	3.5433	0.25	2.43	3/8-24	0.75	1.19
	1-3/4	**076209**	INS-SCMED-112	1.74								
	45mm	***076348***	*INS-SCMED-45M*	*0.76*	*49.3*	*22.1*	*90.000*	*6.4*	*61.7*	*M10x1.5*	*19.1*	*30.2*
211	1-15/16	**076210**	INS-SCMED-115	2.36	2.22	0.94	3.9370	0.25	2.71	3/8-24	0.87	1.35
	2	**076211**	INS-SCMED-200	2.26								
	50mm	***076349***	*INS-SCMED-50M*	*1.03*	*56.4*	*23.9*	*100.000*	*6.4*	*68.8*	*M10x1.5*	*22.1*	*34.3*
212	2-3/16	**076212**	INS-SCMED-203	2.97	2.31	1.02	4.3307	0.25	2.97	3/8-24	0.90	1.41
	2-1/4	**@**	INS-SCMED-204	2.85								
	55mm	***076350***	*INS-SCMED-55M*	*1.27*	*58.7*	*25.9*	*110.000*	*6.4*	*75.4*	*M10x1.5*	*22.9*	*35.8*
214	2-7/16	**076213**	INS-SCMED-207	4.39	2.54	1.10	4.9213	0.26	3.31	3/8-24	1.06	1.48
	2-1/2	**076214**	INS-SCMED-208	4.25								
	60mm	***076351***	*INS-SCMED-65M*	*1.86*	*64.5*	*27.9*	*125.000*	*6.6*	*84.1*	*M10x1.5*	*26.9*	*37.6*
215	2-11/16	**076215**	INS-SCMED-211	4.49	2.33	1.14	5.1181	0.28	3.62	3/8-24	0.86	1.47
	70mm	***076352***	*INS-SCMED-70M*	*1.98*	*59.2*	*29.0*	*130.000*	*7.1*	*91.9*	*M10x1.5*	*21.8*	*37.3*
216	2-15/16	**076216**	INS-SCMED-215	5.54	2.38	1.18	5.5118	0.29	3.83	3/8-24	0.88	1.50
	3	**076217**	INS-SCMED-300	5.52								
	75mm	***076353***	*INS-SCMED-75M*	*2.51*	*60.5*	*30.0*	*140.000*	*7.4*	*97.3*	*M10x1.5*	*22.4*	*38.1*
218	3-7/16	**076218**	INS-SCMED-307	7.35	2.56	1.34	6.2992	0.30	4.35	3/8-24	0.96	1.60
	3-1/2	**076219**	INS-SCMED-308	7.33								
	85mm	***076354***	*INS-SCMED-85M*	*3.33*	*65.0*	*34.0*	*160.000*	*7.6*	*110.5*	*M10x1.5*	*24.4*	*40.6*

@ Assembled to order # SCM Piloted Flange Only

FEATURES/BENEFITS PAGE B3-2 | EASY SELECTION PAGE B3-3 | SELECTION PAGE B3-5 | ACCESSORIES PAGE B3-41