


DODGE®



ULTRA KLEEN Mounted Bearings
SCEZ PSS NORMAL DUTY POLYMER HOUSED 2-BOLT FLANGE BEARINGS










Series	Shaft Size	With Stainless Steel Insert		Weight lbs *kg*	A	B	C	D	F Bolt Dia.	H	J	L	M
		Part No.	Description										
204	3/4	**136710**	F2B-SCEZ-012-PSS	0.40	1.23	4.45	1.44	3.54	3/8	0.53	0.32	1.11	2.35
	20mm	***136751***	*F2B-SCEZ-20M-PSS*	*0.24*	*31.2*	*113.0*	*36.4*	*89.9*	*M10*	*13.5*	*8.0*	*28.2*	*59.7*
205	1	**136711**	F2B-SCEZ-100-PSS	0.56	1.34	4.92	1.50	3.90	3/8	0.54	0.36	1.32	2.71
	25mm	***136752***	*F2B-SCEZ-25M-PSS*	*0.28*	*34.0*	*125.0*	*38.1*	*99.1*	*M10*	*13.7*	*9.2*	*33.5*	*68.8*
206	1-3/16	**136712**	F2B-SCEZ-103-PSS	0.86	1.52	5.58	1.69	4.59	3/8	0.60	0.45	1.57	3.19
	1-1/4	**136713**	F2B-SCEZ-104S-PSS	0.84									
	30mm	***136753***	*F2B-SCEZ-30M-PSS*	*0.39*	*38.6*	*141.7*	*42.9*	*116.6*	*M10*	*15.2*	*11.4*	*39.9*	*81.0*
207	1-1/4	**136714**	F2B-SCEZ-104-PSS	1.36	1.71	6.31	1.82	5.12	1/2	0.62	0.54	1.84	3.69
	1-7/16	**136715**	F2B-SCEZ-107-PSS	1.24									
	35mm	***136754***	*F2B-SCEZ-35M-PSS*	*0.61*	*43.4*	*160.3*	*46.3*	*130.0*	*M12*	*15.7*	*13.8*	*46.7*	*93.7*
208	1-1/2	**136716**	F2B-SCEZ-108-PSS	1.82	1.94	6.77	2.08	5.65	1/2	0.67	0.63	2.05	4.06
	40mm	***136755***	*F2B-SCEZ-40M-PSS*	*0.76*	*49.3*	*172.0*	*52.8*	*143.5*	*M12*	*17.0*	*15.9*	*52.1*	*103.1*
209	1-11/16	**136717**	F2B-SCEZ-111-PSS	2.00	1.94	7.07	2.08	5.85	9/16	0.72	0.62	2.22	4.31
	45mm	***136756***	*F2B-SCEZ-45M-PSS*	*0.88*	*49.3*	*179.6*	*52.8*	*148.6*	*M14*	*18.3*	*15.7*	*56.4*	*109.5*
210	1-15/16	**136718**	F2B-SCEZ-115-PSS	2.12	1.94	7.47	2.08	6.18	5/8	0.76	0.63	2.43	4.50
	2	**136987**	F2B-SCEZ-200-PSS	2.08									
	50mm	***136757***	*F2B-SCEZ-50M-PSS*	*0.96*	*49.3*	*189.7*	*52.8*	*157.0*	*M16*	*19.3*	*15.9*	*61.7*	*114.3*

SELECTION/DIMENSIONS

ULTRA KLEEN Mounted Bearings
SCEZ SHSS NORMAL DUTY STAINLESS STEEL HOUSED 2-BOLT FLANGE BEARINGS








Series	Shaft Size	With Stainless Steel Insert		Weight lbs *kg*	A	B	C	D	F Bolt Dia.	H	J	L	M
		Part No.	Description										
204	3/4	**136793**	F2B-SCEZ-012-SHSS	0.95	1.23	4.38	1.25	3.54	3/8	0.32	0.36	1.11	2.38
	20mm	***136861***	*F2B-SCEZ-20M-SHSS*	*0.42*	*31.2*	*111.3*	*31.7*	*89.9*	*M10*	*8.1*	*9.1*	*28.2*	*60.5*
205	1	**136794**	F2B-SCEZ-100-SHSS	1.21	1.34	4.89	1.37	3.89	3/8	0.35	0.39	1.32	2.63
	25mm	***136862***	*F2B-SCEZ-25M-SHSS*	*0.55*	*34.0*	*124.2*	*34.7*	*98.8*	*M10*	*8.9*	*9.9*	*33.5*	*66.8*
206	1-3/16	**136795**	F2B-SCEZ-103-SHSS	1.91	1.52	5.51	1.59	4.59	3/8	0.35	0.46	1.57	3.13
	1-1/4	**136796**	F2B-SCEZ-104S-SHSS	1.87									
	30mm	***136863***	*F2B-SCEZ-30M-SHSS*	*0.87*	*38.6*	*140.0*	*40.4*	*116.6*	*M10*	*8.9*	*11.7*	*39.9*	*79.5*
207	1-1/4	**136797**	F2B-SCEZ-104-SHSS	2.64	1.71	6.18	1.76	5.12	1/2	0.42	0.55	1.84	3.50
	1-7/16	**136798**	F2B-SCEZ-107-SHSS	2.47									
	35mm	***136864***	*F2B-SCEZ-35M-SHSS*	*1.15*	*43.4*	*157.0*	*44.8*	*130.0*	*M12*	*10.7*	*13.9*	*46.7*	*88.9*
208	1-1/2	**136799**	F2B-SCEZ-108-SHSS	3.40	1.94	6.71	1.97	5.65	1/2	0.42	0.63	2.05	3.84
	40mm	***136865***	*F2B-SCEZ-40M-SHSS*	*1.50*	*49.3*	*170.4*	*50.1*	*143.5*	*M12*	*10.7*	*16.1*	*52.1*	*97.5*
210	1-15/16	**136800**	F2B-SCEZ-115-SHSS	4.17	1.94	7.48	1.98	6.18	5/8	0.48	0.63	2.43	4.31
	2	**136991**	F2B-SCEZ-200-SHSS	4.13									
	50mm	***136866***	*F2B-SCEZ-50M-SHSS*	*1.87*	*49.3*	*190.0*	*50.3*	*157.0*	*M16*	*12.2*	*16.1*	*61.7*	*109.5*


DODGE®



ULTRA KLEEN Mounted Bearings

SCEZ SHSS NORMAL DUTY STAINLESS STEEL HOUSED 2-BOLT FLANGE BEARINGS






Series	Shaft Size	Standard Part No.	Standard Description	Weight lbs / kg	A	B	C	D	G	H	J	L	M	N
204	3/4	**136817**	LFT-SCEZ-012-SHSS	.68	1.23	3.56	1.25	2.81	0.34	0.58	0.37	1.11	2.38	1.55
	20 mm	***136879***	*LFT-SCEZ-20M-SHSS*	*.31*	*31.2*	*90.4*	*31.7*	*71.4*	*8.6*	*14.7*	*9.5*	*28.2*	*60.5*	*39.4*
205	1	**136818**	LFT-SCEZ-100-SHSS	.84	1.34	3.75	1.36	3.00	0.34	0.50	0.39	1.32	2.63	1.67
	25 mm	***136880***	*LFT-SCEZ-25M-SHSS*	*.38*	*34.0*	*95.3*	*34.6*	*76.2*	*8.6*	*12.7*	*10.0*	*33.5*	*66.8*	*42.4*
206	1-3/16	**136819**	LFT-SCEZ-103-SHSS	1.88	1.52	4.44	1.60	3.56	0.41	0.61	0.51	1.57	3.25	1.98
	1-1/4	**136820**	LFT-SCEZ-104S-SHSS											
	30 mm	***136881***	*LFT-SCEZ-30M-SHSS*	*.85*	*38.6*	*112.8*	*40.5*	*90.4*	*10.4*	*15.5*	*13.0*	*39.9*	*82.6*	*50.3*
207	1-1/4	**136821**	LFT-SCEZ-104-SHSS	1.77	1.71	4.81	1.74	3.94	0.41	0.67	0.55	1.84	3.50	2.09
	1-7/16	**136822**	LFT-SCEZ-107-SHSS											
	35 mm	***136882***	*LFT-SCEZ-35M-SHSS*	*.80*	*43.4*	*122.2*	*44.3*	*100.1*	*10.4*	*17.1*	*13.9*	*46.7*	*88.9*	*53.1*


FEATURES/BENEFITS PAGE B1-3	HOW TO ORDER/NOMENCLATURE PAGE B1-6	EASY SELECTION PAGE B1-7	ACCESSORIES PAGE B1-35


SELECTION/DIMENSIONS

DODGE®

ULTRA KLEEN Mounted Bearings
SCEZ SHSS NORMAL DUTY STAINLESS STEEL HOUSED 3-BOLT FLANGE BEARINGS









Series	Shaft Size	Standard Part No.	Standard Description	Weight lbs / kg	A	B	C	D	G	H	J	L	M	N
204	3/4	**136809**	LF-SCEZ-012-SHSS	.64	1.23	3.56	1.25	2.81	0.34	0.58	0.37	1.11	1.78	1.55
	20 mm	***136873***	*LF-SCEZ-20M-SHSS*	*.29*	*31.2*	*90.4*	*31.7*	*71.4*	*8.6*	*14.7*	*9.5*	*28.2*	*45.2*	*39.4*
205	1	**136810**	LF-SCEZ-100-SHSS	.80	1.34	3.75	1.36	3.00	0.34	0.50	0.39	1.32	1.88	1.67
	25 mm	***136874***	*LF-SCEZ-25M-SHSS*	*.36*	*34.0*	*95.3*	*34.6*	*76.2*	*8.6*	*12.7*	*10.0*	*33.5*	*47.8*	*42.4*
206	1-3/16	**136811**	LF-SCEZ-103-SHSS	1.09	1.52	4.44	1.60	3.56	0.41	0.61	0.51	1.57	2.22	1.98
	1-1/4	**136812**	LF-SCEZ-104S-SHSS											
	30 mm	***136875***	*LF-SCEZ-30M-SHSS*	*.54*	*38.6*	*112.8*	*40.5*	*90.4*	*10.4*	*15.5*	*13.0*	*39.9*	*56.4*	*50.3*
207	1-1/4	**136813**	LF-SCEZ-104-SHSS	1.73	1.71	4.81	1.74	3.94	0.41	0.67	0.55	1.84	2.41	2.09
	1-7/16	**136814**	LF-SCEZ-107-SHSS											
	35 mm	***136876***	*LF-SCEZ-35M-SHSS*	*.79*	*43.4*	*122.2*	*44.3*	*100.1*	*10.4*	*17.1*	*13.9*	*46.7*	*61.2*	*53.1*

DODGE®



ULTRA KLEEN Mounted Bearings
SCEZ PSS NORMAL DUTY POLYMER HOUSED FLANGE BEARING







Series	Shaft Size	With Stainless Steel Insert		Weight lbs *kg*	A	B	C	D	E	F Bolt Dia.	G	H	I	J	K	L
		Part No.	Description													
204	3/4	**136719**	FB-SCEZ-012-PSS	0.47	1.23	4.39	1.44	1.50	1.69	3/8	0.88	0.53	3.22	2.34	1.12	1.11
	20mm	***136758***	*FB-SCEZ-20M-PSS*	*0.23*	*31.2*	*111.5*	*36.4*	*38.1*	*42.9*	*M10*	*22.4*	*13.5*	*81.8*	*59.4*	*28.4*	*28.2*
205	1	**136720**	FB-SCEZ-100-PSS	0.69	1.34	4.91	1.50	1.63	1.81	3/8	1.13	0.54	3.56	2.71	1.14	1.32
	25mm	***136759***	*FB-SCEZ-25M-PSS*	*0.32*	*34.0*	*124.7*	*38.1*	*41.4*	*46.0*	*M10*	*28.7*	*13.7*	*90.4*	*68.8*	*29.0*	*33.5*
206	1-3/16	**136721**	FB-SCEZ-103-PSS	1.07	1.52	5.48	1.69	1.88	2.06	3/8	1.25	0.60	3.88	3.20	1.24	1.57
	1-1/4	**136722**	FB-SCEZ-104S-PSS	1.05												
	30mm	***136760***	*FB-SCEZ-30M-PSS*	*0.48*	*38.6*	*139.2*	*42.9*	*47.8*	*52.3*	*M10*	*31.8*	*15.2*	*98.6*	*81.3*	*31.5*	*39.9*
207	1-1/4	**136723**	FB-SCEZ-104-PSS	1.87	1.71	6.11	1.82	2.00	2.38	1/2	1.25	0.62	4.26	3.69	1.28	1.84
	1-7/16	**136724**	FB-SCEZ-107-PSS	1.71												
	35mm	***136761***	*FB-SCEZ-35M-PSS*	*0.83*	*43.4*	*155.2*	*46.3*	*50.8*	*60.5*	*M12*	*31.8*	*15.7*	*108.2*	*93.7*	*32.5*	*46.7*

SELECTION/DIMENSIONS

ULTRA KLEEN Mounted Bearings
SCEZ SHSS NORMAL DUTY STAINLESS STEEL HOUSED FLANGE BRACKET BEARINGS





Series	Shaft Size	With Stainless Steel Insert	
		Part No.	Description
204	3/4	**136801**	FB-SCEZ-012-SHSS
	20mm	***136867***	*FB-SCEZ-20M-SHSS*
205	1	**136802**	FB-SCEZ-100-SHSS
	25mm	***136868***	*FB-SCEZ-25M-SHSS*
206	1-3/16	**136803**	FB-SCEZ-103-SHSS
	1-1/4	**136804**	FB-SCEZ-104S-SHSS
	30mm	***136869***	*FB-SCEZ-30M-SHSS*
207	1-1/4	**136805**	FB-SCEZ-104-SHSS
	1-7/16	**136806**	FB-SCEZ-107-SHSS
	35mm	***136870***	*FB-SCEZ-35M-SHSS*
210	1-15/16	**136808**	FB-SCEZ-115-SHSS
	2	**136992**	FB-SCEZ-200-SHSS
	50mm	***136872***	*FB-SCEZ-50M-SHSS*



ULTRA KLEEN Mounted Bearings

SCEZ SHSS NORMAL DUTY STAINLESS STEEL HOUSED FLANGE BRACKET BEARINGS

Series	Shaft Size	Weight lbs *kgs*	A	B	C	D	E	F Bolt Dia	G	H	I	J	K	L	M
204	3/4	1.00	1.23	4.19	1.25	1.50	1.69	3/8	0.88	0.31	3.00	2.38	0.90	1.11	2.38
	20 mm	.45	31.2	106.4	31.8	38.1	42.9	M10	22.4	7.9	76.2	60.4	22.9	28.2	60.5
205	1	1.26	1.34	4.69	1.37	1.63	1.81	3/8	1.13	0.38	3.38	2.62	0.98	1.32	2.50
	25 mm	.52	34.0	119.1	34.7	41.4	46.0	M10	28.7	9.7	85.9	66.4	24.9	33.5	63.5
206	1-3/16	1.95	1.52	5.31	1.59	1.88	2.06	3/8	1.25	0.38	3.75	3.12	1.14	1.57	2.75
	1-1/4														
	30 mm	.89	38.6	134.9	40.4	47.8	52.3	M10	31.8	9.7	95.3	79.2	29.0	39.9	69.9
207	1-1/4	2.87	1.71	6.00	1.76	2.00	2.38	1/2	1.25	0.50	4.25	3.12	1.22	1.84	3.25
	1-7/16														
	35 mm	1.3	43.4	152.4	44.8	50.8	60.5	M12	31.8	12.7	108.0	88.8	31.0	46.7	82.6
210	1-15/16	4.43	1.94	7.34	1.98	2.75	2.94	1/2	1.63	0.50	5.19	4.30	1.35	2.43	4.00
	2														
	50 mm	2.01	49.3	186.4	50.3	69.9	74.7	M12	41.4	12.7	131.8	109.2	34.3	61.7	101.6


FEATURES/BENEFITS PAGE B1-3	HOW TO ORDER/NOMENCLATURE PAGE B1-6	EASY SELECTION PAGE B1-7	ACCESSORIES PAGE B1-35


SELECTION/DIMENSIONS

DODGE®



ULTRA KLEEN Mounted Bearings
SCEZ PSS NORMAL DUTY POLYMER HOUSED
4-BOLT FLANGE BEARINGS







Series	Shaft Size	With Stainless Steel Insert		Weight lbs *kg*	A	B	C	D	F Bolt Dia.	H	J	L
		Part No.	Description									
204	3/4	**136725**	F4B-SCEZ-012-PSS	0.55	1.23	3.38	1.46	2.50	3/8	0.53	0.30	1.11
	20 mm	***136762***	*F4B-SCEZ-20M-PSS*	*0.27*	*31.2*	*85.9*	*37.0*	*63.5*	*M10*	*13.5*	*7.5*	*28.2*
205	1	**136726**	F4B-SCEZ-100-PSS	0.67	1.34	3.75	1.52	2.75	3/8	0.54	0.36	1.32
	25 mm	***136763***	*F4B-SCEZ-25M-PSS*	*0.32*	*34.0*	*95.3*	*38.6*	*69.9*	*M10*	*13.7*	*9.2*	*33.5*
206	1-3/16	**136727**	F4B-SCEZ-103-PSS	0.86	1.52	4.25	1.72	3.25	3/8	0.60	0.45	1.57
	1-1/4	**136728**	F4B-SCEZ-104S-PSS	0.84								
	30 mm	***136764***	*F4B-SCEZ-30M-PSS*	*0.39*	*38.6*	*108.0*	*43.7*	*82.6*	*M10*	*15.2*	*11.4*	*39.9*
207	1-1/4	**136729**	F4B-SCEZ-104-PSS	1.40	1.71	4.65	1.84	3.63	1/2	0.62	0.53	1.84
	1-7/16	**136730**	F4B-SCEZ-107-PSS	1.24								
	35 mm	***136765***	*F4B-SCEZ-35M-PSS*	*0.61*	*43.4*	*118.1*	*46.8*	*92.2*	*M12*	*15.7*	*13.5*	*46.7*
208	1-1/2	**136731**	F4B-SCEZ-108-PSS	1.82	1.94	5.12	2.10	4.00	1/2	0.67	0.62	2.05
	40 mm	***136766***	*F4B-SCEZ-40M-PSS*	*0.76*	*49.3*	*130.0*	*53.3*	*101.6*	*M12*	*17.0*	*15.7*	*52.1*
209	1-11/16	**136732**	F4B-SCEZ-111-PSS	2.00	1.94	5.38	2.10	4.13	9/16	0.72	0.62	2.22
	45 mm	***136767***	*F4B-SCEZ-45M-PSS*	*0.88*	*49.3*	*136.7*	*53.3*	*104.9*	*M14*	*18.3*	*15.7*	*56.4*
210	1-15/16	**136733**	F4B-SCEZ-115-PSS	2.12	1.94	5.62	2.24	4.38	5/8	0.76	0.63	2.43
	2	**136988**	F4B-SCEZ-200-PSS	2.03								
	50 mm	***136768***	*F4B-SCEZ-50M-PSS*	*0.96*	*49.3*	*142.7*	*56.8*	*111.3*	*M16*	*19.3*	*15.9*	*61.7*


DODGE®



ULTRA KLEEN Mounted Bearings
SCEZ SHSS NORMAL DUTY STAINLESS STEEL HOUSED 4-BOLT FLANGE BEARINGS







Series	Shaft Size	With Stainless Steel Insert		Weight lbs kg	A	B	C	D	F Bolt Dia.	H	J	L
		Part No.	Description									
204	3/4	**136825**	F4B-SCEZ-012-SHSS	1.08	1.23	3.35	1.25	2.51	3/8	0.34	0.34	1.11
	20 mm	***136885***	*F4B-SCEZ-20M-SHSS*	*0.49*	*31.2*	*85.1*	*31.7*	*63.8*	*M10*	*8.6*	*8.8*	*28.2*
205	1	**136826**	F4B-SCEZ-100-SHSS	1.39	1.34	3.75	1.37	2.75	3/8	0.37	0.38	1.32
	25 mm	***136886***	*F4B-SCEZ-25M-SHSS*	*0.63*	*34.0*	*95.3*	*34.7*	*69.9*	*M10*	*9.4*	*9.5*	*33.5*
206	1-3/16	**136827**	F4B-SCEZ-103-SHSS	2.09	1.52	4.16	1.59	3.24	3/8	0.37	0.45	1.57
	1-1/4	**136828**	F4B-SCEZ-104S-SHSS	2.05								
	30 mm	***136887***	*F4B-SCEZ-30M-SHSS*	*0.95*	*38.6*	*105.7*	*40.4*	*82.3*	*M10*	*9.4*	*11.4*	*39.9*
207	1-1/4	**136829**	F4B-SCEZ-104-SHSS	2.95	1.71	4.68	1.76	3.62	1/2	0.42	0.55	1.84
	1-7/16	**136830**	F4B-SCEZ-107-SHSS	2.78								
	35 mm	***136888***	*F4B-SCEZ-35M-SHSS*	*1.29*	*43.4*	*118.9*	*44.8*	*91.9*	*M12*	*10.7*	*13.9*	*46.7*
208	1-1/2	**136831**	F4B-SCEZ-108-SHSS	3.70	1.94	5.06	1.97	4.00	1/2	0.43	0.62	2.05
	40 mm	***136889***	*F4B-SCEZ-40M-SHSS*	*1.64*	*49.3*	*128.5*	*50.1*	*101.6*	*M12*	*10.9*	*15.7*	*52.1*
210	1-15/16	**136832**	F4B-SCEZ-115-SHSS	4.60	1.94	5.67	1.98	4.37	5/8	0.49	0.62	2.43
	2	**136993**	F4B-SCEZ-200-SHSS	4.56								
	50 mm	***136890***	*F4B-SCEZ-50M-SHSS*	*2.07*	*49.3*	*144.0*	*50.3*	*111.0*	*M16*	*12.4*	*15.7*	*61.7*

FEATURES/BENEFITS PAGE B1-3	HOW TO ORDER/NOMENCLATURE PAGE B1-6	EASY SELECTION PAGE B1-7	ACCESSORIES PAGE B1-35