77332

# Replacement Cassette, Hygienic, 19.7", Green



Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7713x and 7723x).

# Technical Data

| | |
|---|---|
| **Item Number** | 77332 |
| **Material** | Polypropylene<br>TPE Rubber |
| **Complies with (EC) 1935/2004 on food contact materials[1]** | Yes |
| **Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice** | Yes |
| **FDA-compliant raw material (CFR 21)** | Yes |
| **Complies with UK 2019 No. 704 on food contact materials** | Yes |
| **Meets the REACH Regulation (EC) No. 1907/2006** | Yes |
| **Use of phthalates and bisphenol A** | No |
| **Is Halal and Kosher compliant** | Yes |
| **Pat. Pending/Patent No.** | EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 |
| **Box Quantity** | 20 Pcs. |
| **Quantity per Pallet (80 x 120 x 200 cm)** | 960 Pcs. |
| **Quantity Per Layer (Pallet)** | 120 Pcs. |
| **Length** | 19.7 " |
| **Width** | 1 " |
| **Height** | 1.8 " |
| **Net Weight** | 0.3086 lbs |
| **Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)** | 0.02 lbs |
| **Tare Cardboard** | 0.02 lbs |
| **Tare Total** | 0.04 lbs |
| **Gross Weight** | 0.349 lbs |
| **Cubic Feet** | 0.0199 ft3 |
| **Recommended sterilisation temperature (Autoclave)** | 249.8 °F |
| **Max. cleaning temperature (Dishwasher)** | 199.4 °F |
| **Max usage temperature (food contact)** | 122 °F |
| **Max usage temperature (non food contact)** | 212 °F |
| **Min. usage temperature** | -22 °F |
| **Max. drying temperature** | 248 °F |
| **Min. pH-value in usage concentration** | 2 pH |
| **Max. pH-value in Usage Concentration** | 10.5 pH |
| **GTIN-12 Number** | 5705020773327 |
| **GTIN-12 Number (Box quantity)** | 15705020773324 |
| **Customs Tariff No.** | 96039099 |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 32 °Fahrenheit.