Scrape & Dry Entrance Mat Smart Step™ Decalon® 325

Product Images









Short Description

- Alternating rows of ribbed vinyl and carpet strips scrape and dry the foot traffic
- 19 ounce per square yard of Decalon® carpet matting strips
- Can be placed within a foyer recess - depth of 3/8" to 1/2" – allow 9/16" door clearance
- Can also be placed directly on floor – allow 9/16" door clearance
- Perforated vinyl sections available to facilitate drainage (recommended for recess areas only)
- Mat is fully assembled at the factory to your custom size specification

- Orders must be accompanied by a sketch clearly indicating width, length and direction of traffic flow

Description

A Notrax® exclusive, Smart Step™ alternates rows of ribbed vinyl and carpet strips to scrape and dry foot traffic in entranceways and foyers. This version features cut pile Decalon® carpet matting for a high-end look and functionality in medium to heavy traffic areas. Decalon® fibers provide moisture and dirt retention. Smart Step™ can be placed directly on the floor or fits into most recessed foyers.

Specifications

Model No	325
Available Colors	Black; Brown
Overall Thickness	1/2
Standard sizes	12"x 12"
Group	Entrance Matting
Environment	Indoor/Outdoor
Recommended Use	For placement in interior facility entrances or recessed wells
Special Remarks	For surface installations, remember to include the optional beveled edging
Surface	Rich Monochrome Colors
Usage Intensity	Heavy traffic
Backing	Black vinyl (DOP free)
Process	Molding
Pile Weight Oz	19
Weight Lbs/sqft	2.33
Fire Rating US	Pass
REACH Compliant	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Dust Control Rating	Best
Water Retention Rating	Better
Crush Resistance Rating	Best

Product Options

Color:	Black
	Brown
Dimensions:	12"x 12"