EXIT34-RG



Color: White

Weight: 1.7 lbs

Project:	**Type:**
Prepared By:	**Date:**

Technical Specifications

Performance

Product Type:
Exit Sign

Description:
Ultra-economy exit sign with universal faces and options for red or green letters.

Input Wattage:
1W @120V and 277V

Electrical

Power Factor:
≥0.9 @ 120V; ≥0.4 @ 277V

Input Voltage:
Dual 120/277 Voltage

Operating Frequency (Hz):
60Hz

Input Current @ 120V (mA):
90mA

Input Current @ 277V (mA):
90mA

Dual Voltage Circuit Operation:
No

Operating Temperature:
32°F to 122°F (0°C to 50°C)

Battery Backup:
AC Only

Battery Operating Temperature:
32°C to 122°C (0°F to 50°F)

Storage Temperature:
68°F to 86°F (20°C to 30°C)

Self Diagnostics:
No, manual test only

Remote Test Switch:
No

Installation

Mounting Method:
Back/Top/End

Mounting Type:
Wall/Ceiling Mount

Cold Weather Rated:
No

Construction

Shape:
Rectangle

Housing Material:
Thermoplastic

Panel Material:
Thermoplastic

Panel Color:
White

Letter Color:
Red/Green

Housing Color:
White

Number of Faces:
Universal Single/Double Face

Arrow Direction:
No Arrow

Sign Format:
Stencil

Remote Capacity:
No

Compliance

Listings:
UL924 Listed, NFPA 101 (current Life Safety Code), NEC and OSHA illumination standards

Copyright © 2024 RAB Lighting All Rights Reserved Note: Specifications are subject to change at any time without notice

Technical Specifications (continued)

Environment:
Suitable for indoor use in dry and damp environments

IP Rating:
Indoor

Certification Model Number:
EZRXTEU2RGW

T20 Compliant:
Can be used to conform with the requirements of California Title 20

California Title 24 JA8 Compliant:
Not applicable

California Energy Commission (CEC) Status:
Lawful for Sales in California

FCC:
Complies with Part 15 of the FCC Rules

Other

5 Yr Limited Warranty:
The RAB 5-year, limited warranty covers light output, driver performance and paint finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Note:
All values are typical (tolerance +/- 10%)

Buy American Act Compliance:
RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

Copyright © 2024 RAB Lighting All Rights Reserved Note: Specifications are subject to change at any time without notice

Dimensions



Features

- Universal faces with color letters
- Durable thermoplastic design
- Complies with California Title 20 requirements

Ordering Matrix

Family	Face	Exit Sign Letter Color	Battery Backup	Housing
EXIT34		RG		
	Blank = Universal Faces	**Blank =** Red **G =** Green **RG =** Red/Green Selectable	**Blank =** No Battery Backup **/E =** Battery Backup	**Blank =** White Housing **B =** Black Housing

Copyright © 2024 RAB Lighting All Rights Reserved Note: Specifications are subject to change at any time without notice